Index of Authors

ADAMS, B. W. and MEAD, G. C. Incidence and properties of *Staphylococcus aureus* associated with turkeys during processing and further-processing operations, 479

ADEBAYO, J. O. *see* OLUSANYA O.

ADESIYUN, A. A. *see* UMOH, J. U.

ADEKEYE, J. O. *see* UMOH, J. U.

AITKEN, M. M. *see* JONES, P. W.

AITKEN, M. M., BROWN, G. T. H., JONES, P. W. and COLLINS, P. *Salmonella saint-paul* infection in calves, 259

ALI E. A. *see* HINTON, M.

ALLEN, VIVIEN *see* HINTON, M.

ANAND, C. M., SKINNER, A. R., MALIC, A. and KURTZ, J. B. Interaction of *L. pneumophila* and a free living amoeba (*Acanthamoeba palestinensis*), 167

ANDERSSON, P.-A., HAMBRAEUS, A., ZETTERSTEN, U., LJUNGQVIST, B., NEIKTER, K. and RANSJÖ, U. A comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres, 509

ANDREWS, R. V. and BELKNAP, R. W. Efficacy of alpha-chlorhydrin in sewer rat control, 359

ARANGIO-RUIZ, G. *see* MANCINI, G.

ARAYA, M. *see* FIGUEROA, G.

ASHCROFT, J. and POMEROY, N. P. The generation of aerosols by accidents which may occur during plant-scale production of micro-organisms, 81

BARTZOKAS, C. A., CORKILL, J. E., MAKIN, T. and PINDER, D. C. Assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation on the skin, 521

BEAMAN, B. L. and SUGAR, A. M. *Nocardia* in naturally acquired and experimental infections in animals, 393

BELKNAP, R. W. *see* ANDREWS, R. V.

BLACK, L. *see* FRANCIS, M. J.

BROWN, G. T. H. *see* JONES, P. W. *and see* AITKEN, M. M.

BRUN, Y. *see* MELCONIAN, A. K.

BRUNSER, O. *see* FIGUEROA, G.

BUTTERFIELD, J., COULSON, J. C., KEARSEY, S. V., MONAGHAN, P., MCCOY, J. H. and SPAIN, G. E. The herring gull *Larus argentatus* as a carrier of salmonella, 429

BUTTERFIELD, J. *see* COULSON, J. C.

CAUL, E. O. *see* PETHER, J. V. S.

CHAHAL, R. S. *see* SUGAR, A. M.

CLEGG, F. G. *see* WRIGHT, E. P.

COHEN, B. J., MORTIMER, P. P. and PEREIRA, M. S. Diagnostic assays with monoclonal antibodies for the human serum parvovirus-like virus (SPLV), 113

COHEN, D. R., PORTER, I. A., REID, T. M. S., SHARP, J. C. M., FORBES, G. I. and PATERSON, G. M. A cost benefit study of milk-borne salmonellosis, 17

COLLINS, P. *see* JONES, P. W. *and see* AITKEN, M. M.

CORKILL, J. E. *see* BARTZOKAS, C. A.

COULSON, J. C., BUTTERFIELD, J. and THOMAS, C. The herring gull *Larus argentatus* as a likely transmitting agent of *Salmonella montevideo* to sheep and cattle, 437

COULSON, J. C. *see* BUTTERFIELD, J.

CULSHAW, J. A. *see* WRIGHT, E. P.

DADD, A. H., STEWART, CELIA M. and TOWN, MARGARET M. A standardized monitor for the control of ethylene oxide sterilization cycles, 93

DARNELL, R. *see* WRIGHT, E. P.

DEGENER, J. E., SMIT, A. C. W., MICHEL, M. F., VALKENBURG, H. A. and MULLER, L. Resistance of *Escherichia coli* in faeces and the use of antimicrobial agents in the treatment of hospital patients, 491

DENISOV, G. M. *see* NAIKHIN, A. N.
DENNIS, P. J. *see* FITZGEORGE, R. B.
DONATELLI, I. *see* MANCINI, G.
DYKE, K. G. H. *see* NAIDOO, JAY.

EBISAWA, I. *see* OHARA, H.
EISNER, R. J. *see* MCVICAR, J. W.
ESPINOZA, J. *see* FIGUEROA, G.

FARKAS, G. *see* MANSFIELD, J. M.
FENLON, D. R. A comparison of salmonella serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the sewage, 47
FIGUEROA, G., TRONCOSO, M., ARAYA, M., ESPINOZA, J. and BRUNSER, O. Enteropathogen carriage by healthy individuals living in an area with poor sanitation, 490
FITZGEORGE, R. B. and DENNIS, P. J. Isolation of *Legionella pneumophila* from water supplies: comparison of methods based on the guinea-pig and culture media, 179
FLEURETTE, J. *see* MELCONIAN, A. K.
FORBES, G. I. *see* COHEN, D. R.
FRANCIS, M. J. and BLACK, L. Antibody response in pig nasal fluid and serum following foot-and-mouth disease infection or vaccination, 329
FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of enrichment media for the isolation of salmonella from seagull cloacal swabs, 53
FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of procedures for the isolation of campylobacters from seagull faeces, 445

GILBERT, R. J. *see* MANSFIELD, J. M.
GILL, J. E. and REDFERN, R. Laboratory tests of seven rodenticides for the control of *Meriones shawi*, 351
GIRDWOOD, R. W. A. *see* FRICKER, C. R.
GRILLI, E. A. and SMITH, A. J. The use of a radial haemolysis test for neuraminidase antibodies in the diagnosis of influenza A infection, 147
GROHMANN, G. S. *see* MURPHY, A. M.

HAGUE, J. T. *see* WRIGHT, E. P.
HAMBRAEUS, A. *see* ANDERSSON, P.-A.
HARVEY, R. W. S. and PRICE, T. H. A comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of salmonellas from sewage polluted natural water, 451
HARVEY R. W. S. and PRICE, T. H. Effect of stool storage at room temperature on salmonella isolation from faeces, 267
HARVEY, R. W. S. and PRICE, T. H. Salmonella isolation from reptilian faeces: A discussion of appropriate cultural techniques, 25
HAY, R. J. Nocardial infection of the skin, 385
HEAD, M. *see* NDIRITU, C. G.
HINTON, M., ALI, E. A., ALLEN, VIVIEN and LINTON, A. H. The excretion of *Salmonella typhimurium* in the faeces of calves fed milk substitute, 33
HOPE-SIMPSON, R. E. Recognition of historic influenza epidemics from parish burial records: a test of prediction from a new hypothesis of influenza epidemiology, 293
HUDSON, W. R., ROBERTS, T. A. and WHELEHAN, O. P. A minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial abattoirs, 459
HYLÉN, A.-K., KARLSSON, E., SVANBERG, L. and WALDER, M. Hygiene for the newborn – to bath or to wash? 529

ISPAHANI, P. Bacterial meningitis in Nottingham, 189

JOHNSON, D. R. *see* SKJOLD, S. A.
JONES, P. W., COLLINS, P., BROWN, G. T. H. and AITKEN, M. M. *Salmonella saint-paul* infection in two dairy herds, 243
JONES, P. W. *see* AITKEN, M. M.

KARLSSON, E. *see* HYLÉN, A.-M.
KATILA, M.-L. *see* OJANEN, T. H.
KEARSEY, S. V. *see* BUTTERFIELD, J.
KOLAWOLE, D. O. Evaluation and use of the drug inhibition method of measuring intracellular killing in differentiating between staphylococci grown *in vivo* and *in vitro*, 211
KORCHANOVA, N. L. *see* NAIKHIN, A. N.
KRAJINOVIC S. *see* VLANJINAC, H.
KURTZ, J. B. *see* ANAND, C. M.
KUUSISTO, P. *see* OJANEN, T. H.

LINTON, A. H. *see* HINTON, M.
LJUNGQVIST, B. *see* ANDERSSON, P. A.

MACCHIA, T. *see* MANCINI, G.
MCCOY, J. H. *see* BUTTERFIELD, J.
MCVICAR, J. W. and EISNER, R. J. Aerosol exposure of cattle to foot-and-mouth disease virus, 319
MAKIN, T. *see* BARTZOKAS, C. A.
MALIC, A. *see* ANAND, C. M.
MANCINI, G., DONATELLI, I., ARANGIO-RUIZ, G., ROZERA, C. and MACCHIA, T. Comparison of haemagglutination-inhibition and single radial haemolysis techniques for detecting antibodies to influenza A and B viruses, 157
MANSFIELD, J. M., FARKAS, G., WIENEKE, A. A. and GILBERT, R. J. Studies on the growth and survival of *Staphylococcus aureus* in corned beef, 467
MÄNTYJÄRVI R. *see* OJANEN, T. H.
MARGOLIS, H. S. *see* SKJOLD, S. A.
MAYON-WHITE, R. T. *see* PERKS, ELIZABETH M.
MEAD, G. C. *see* ADAMS, B. W.
MELCONIAN, A. K., BRUN, Y. and FLEURETTE, J. Enterotoxin production, phage typing and serotyping of *Staphylococcus aureus* strains isolated from clinical materials and food, 235
MICHEL, M. F. *see* DEGENER, J. E.
MONAGHAN, P. *see* BUTTERFIELD, J.
MORTIMER, P. P. *see* COHEN, B. J.
MUITTARI, A. *see* OJANEN, T. H.
MULLER, L. *see* DEGENER, J. E.
MUNRO, D. *see* FRICKER, C. R.
MURPHY, A. M., GROHMANN, G. S. and SEXTON, M. F. H. Infectious gastroenteritis in Norfolk Island and recovery of viruses from drinking water, 139
NADARAJAH, M. *see* UMOH, J. U.
NAIDOO, JAY, NOBLE, W. C., WEISSMANN, A. and DYKE, K. G. H. Gentamicin-resistant staphylococci: genetics of an outbreak in a dermatology department, 7
NAIKHIN, A. N., TSARITSINA, I. M., OLEINIKOVA, E. V., SYRODOEVA, L. G., KORCHANOVA, N. L., DENISOV, G. M. and SHVARTSMAN, YA. S. The importance of antineuraminidase antibodies in resistance to influenza A and immunologic memory of their synthesis, 131
NARUTO, H. *see* OHARA, H.
NDIRITU, C. G., OULDRIDGE, E. J., HEAD, M. and RWEYEMAMU, M. M. A serological evaluation of 1979–1982 Kenyan foot-and-mouth disease type SAT 2 viruses, 335
NEIKTER, K. *see* ANDERSSON, P.-A.
NOBLE, W. C. The new hospital epidemiology, 1
NOBLE, W. C. *see* NAIDOO, JAY.
NOCARD, E.-I.-E., 367
NOTERMANS, S. *see* OOSTEROM, J.

OHARA, H., NARUTO, H., WATANABE, W. and EBISAWA, I. An outbreak of hepatitis A caused by consumption of raw oysters, 163
OJANEN, T. H., KATILA, M.-L., MÄNTYJÄRVI, R., SEPPÄNNEN, H., MUITTARI, A., KUUSISTO, P. and VIRTANEN, P. Exposure of water consumers to mesophilic actinomycetes, 535
OLEINIKOVA, E. V. *see* NAIKHIN, A. N.
OLUSANYA, O., ADEBAYO, J. O. and WILLIAMS, BOLANLE. *Campylobacter jejuni* as a bacterial cause of diarrhoea in Ile-Ife, Nigeria, 77

OOSTEROM, J. and NOTERMANS, S. Further research into the possibility of salmonella-free fattening and slaughter of pigs. 59
OULDRIDGE, E. J. *see* NDIRITU, C. G.

PAQUETTE, G. *see* SIMARD, CAROLE
PATERSON, G. M. *see* COHEN, D. R.
PAYMENT, P. *see* SIMARD, CAROLE
PEREIRA, M. S. *see* COHEN, B. J.
PERKS, ELIZABETH M. and MAYON-WHITE, R. T. The incidence of scarlet fever, 203
PETHER, J. V. S. and CAUL, E. O. An outbreak of food-borne gastroenteritis in two hospitals associated with a Norwalk-like virus, 343
PINDER, D. C. *see* BARTZOKAS, C. A.
POMEROY, N. P. *see* ASHCROFT, J.
PORTER, I. A. *see* COHEN, D. R.
PRICE, T. H. *see* HARVEY, R. W. S.

RANSJÖ, U. *see* ANDERSSON, P.-A.
REDFERN, R. *see* GILL, J. E.
REID, T. M. S. *see* COHEN, D. R.
ROBERTS, T. A. *see* HUDSON, W. R.
ROZERA, C. *see* MANCINI, G.
RWEYEMAMU, M. M. *see* NDIRITU, C. G.

SEPPÄNEN, H. *see* OJANEN, T. H.
SEXTON, M. F. H. *see* MURPHY, A. M.
SHARP, J. C. M. *see* COHEN, D. R.
SHVARTSMAN, YA.S. *see* NAIKHIN, A. N.
SIMARD, CAROLE, TRUDEL, M., PAQUETTE, G. and PAYMENT, P. Microbial investigation of the air in an apartment building, 277
SKINNER, A. R. *see* ANAND, C. M.
SKJOLD, S. A., WANNAMAKER, L. W., JOHNSON, D. R. and MARGOLIS, H. S. Type 49 *Streptococcus pyogenes*: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71
SMIT, A. C. W. *see* DEGENER, J. E.
SMITH, A. J. *see* GRILLI, E. A.
SORRELL, J. A. *see* WRIGHT, E. P.
SPAIN, G. E. *see* BUTTERFIELD, J.
STANFORD, J. L. A simple view of nocardial taxonomy, 369
STEVENS, D. A. Clinical and clinical laboratory aspects of nocardial infection, 377
STEVENS, D. A. *see* SUGAR, A. M.
STEWART, CELIA M. *see* DADD, A. H.
SUGAR, A. M., CHAHAL, R. S. and STEVENS, D. A. A cephalosporin active *in vitro* against *Nocardia*: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421
SUGAR, A. M. *see* BEAMAN, B. L.
SVANBERG, L. *see* HYLÉN, A.-M.
SYRODOEVA, L. G. *see* NAIKHIN, A. N.

THOMAS, C. *see* COULSON, J. C.
TILLETT, H. E. *see* WRIGHT, E. P.
TOWN, MARGARET M. *see* DADD, A. H.
TRONCOSO, M. *see* FIGUERO, G.
TRUDEL, M. *see* SIMARD, CAROLE
TSARITSINA, I. M. *see* NAIKHIN, A. N.

UMOH, J. U., ADESIYUN, A. A., ADEKEYE, J. O. and NADARAJAH, M. Epidemiological features of an outbreak of gastroenteritis/cholera in Katsina, Northern Nigeria, 101

VALKENBURG, H. A. *see* DEGENER, J. E.
VAN NIEUWSTADT, A. P. and VERHOEFF, J. Epidemiology of BHV 1 virus infections in dairy herds, 309

VERHOEFF, J. *see* VAN NIEUWSTADT, A. P.
VIRTANEN, P. *see* OJANEN, T. H.
VLAJINAC, H. and KRAJINOVIC, S. Colicine production as an epidemiological marker for *Shigella sonnei*, 273

WALDER, M. *see* HYLÉN, A.-M.
WANNAMAKER, L. W. *see* SKJOLD, S. A.
WATANABE, W. *see* OHARA, H.
WEISSMANN, A. *see* NAIDOO, JAY.
WHELEHAN, O. P. *see* HUDSON, W. R.
WIENEKE, A. A. *see* MANSFIELD, J. M.
WILLIAMS, BOLANLE *see* OLUSANYA, O.
WRIGHT, E. P. The isolation of *Campylobacter jejuni* from flies, 223
WRIGHT, E. P., TILLETT, H. E., HAGUE, J. T., CLEGG, F. G., DARNELL, R., CULSHAW, J. A. and SORRELL, J. A. Milk-borne campylobacter enteritis in a rural area, 227
WRIGHT, R. C. The sterilizing capacity of propylene oxide and chlorhexidine diacetate solutions upon pre-injection swabs saturated with propan-2-ol, 287

ZETTERSTEN, U. *see* ANDERSSON, P.-A.

Index of Subjects

Abattoirs, a minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial, 459
(*Acanthamoeba palestinensis*), interaction of *L. pneumophila* and a free living amoeba, 167
Actinomycetes, exposure of water consumers to mesophilic, 535
Aerosols, the generation of, by accidents which may occur during plant-scale production of micro-organisms, 81
Air, microbial investigation of the, in an apartment building, 277
Alpha-chlorhydrin, efficacy of, in sewer rat control, 359
Amoeba, interaction of *L. pneumophila* and a free living, (*Acanthamoeba palestinensis*), 167
Antimicrobial agents, resistance of *Escherichia coli* in faeces and the use of, in the treatment of hospital patients, 491
Antineuraminidase antibodies, the importance of, in resistance to influenza A and immunologic memory for their synthesis, 131

Beef, studies on the growth and survival of *Staphylococcus aureus* in corned, 467
Beef carcasses, a minimal apparatus method for counting bacteria: comparison with reference method in surveying, at three commercial abattoirs, 459
BHV 1, epidemiology of, virus infections in dairy herds, 309

Campylobacter, milk-borne, enteritis in a rural area, 227
Campylobacters, a comparison of procedures for the isolation of, from seagull faeces, 445
Campylobacter jejuni as a bacterial cause of diarrhoea in Ile-Ife, Nigeria, 77
Campylobacter jejuni, the isolation of, from flies, 223
Calves, *Salmonella saint-paul* infection in, 259
Calves, the excretion of *Salmonella typhimurium* in the faeces of, fed milk substitute, 33
Cephalosporin, a, active *in vitro* against *Nocardia*: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421
Chlorhexidine diacetate, the sterilizing capacity of propylene oxide and, solutions upon pre-injection swabs saturated with propan-2-ol, 287
Cholera, epidemiological features of an outbreak of gastroenteritis/, in Katsina, Northern Nigeria, 101

Dairy herds, epidemiology of BHV 1 virus infections in, 309
Dairy herds, *Salmonella saint-paul* infection in two, 243
Dermatology, gentamicin-resistant staphylococci: genetics of an outbreak in a, department, 7
Diarrhoea, *Campylobacter jejuni* as a bacterial cause of, in Ile-Ife, Nigeria, 77
Drug inhibition method, evaluation and use of the, of measuring intracellular killing in differentiating between staphylococci grown *in vivo* and *in vitro*, 211

Enteropathogen carriage by healthy individuals living in an area with poor sanitation, 499
Enterotoxin production, phage typing and serotyping of *Staphylococcus aureus* strains isolated from clinical materials and food, 235
Epidemiology, the new hospital, 1
Escherichia coli, resistance of, in faeces and the use of anti-microbial agents in the treatment of hospital patients, 491
Ethylene oxide sterilization, a standardized monitor for the control of, cycles, 93

Faeces, resistance of *Escherichia coli* in, and the use of antimicrobial agents in the treatment of hospital patients, 491
Flies, the isolation of *Campylobacter jejuni* from, 223
Foot-and-mouth disease, aerosol exposure of cattle to, virus, 319
Foot-and-mouth disease, antibody response in pig nasal fluid and serum following, infection or vaccination, 329

Gastroenteritis, an outbreak of food-borne, in two hospitals associated with a Norwalk-like virus, 343
Gastroenteritis, epidemiological features of an outbreak of, /cholera in Katsina, Northern Nigeria, 101
Gastroenteritis, infectious, in Norfolk Island and recovery of viruses from drinking water, 139
Gentamicin-resistant staphylococci: genetics of an outbreak in a dermatology department, 7
Glomerulonephritis, type 49 *Streptococcus pyogenes*: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71

Haemagglutination-inhibition, comparison of, and single radial haemolysis techniques for detecting antibodies to influenza A and B viruses, 157
Hepatitis A, an outbreak of, caused by consumption of raw oysters, 163
Herring gull, the, *Larus argentatus* as a carrier of salmonella, 429
Herring gull, the, *Larus argentatus* as a likely transmitting agent of *Salmonella montevideo* to sheep and cattle, 437
Hospital, the new, epidemiology, 1

Influenza, recognition of historic, epidemics from parish burial records: a test of prediction from a new hypothesis of influenza epidemiology, 293
Influenza A, comparison of haemagglutination-inhibition and single radial haemolysis techniques for detecting antibodies to, and B viruses, 157
Influenza A, the importance of antineuraminidase antibodies in resistance to, and immunologic memory for their synthesis, 131
Influenza A, the use of a radial haemolysis test for neuraminidase antibodies in the diagnosis of, infection, 147
Influenza B, comparison of haemagglutination-inhibition and single radial haemolysis techniques for detection antibodies to influenza A, and, 157
Intracellular killing, evaluation and use of the drug inhibition method of measuring, in differentiating between staphylococci grown *in vivo* and *in vitro*, 211

Kenyan foot-and-mouth disease, a serological evaluation of 1979–1982, type SAT 2 viruses, 335

Larus argentatus, the herring gull, as a carrier of salmonella, 429
Laras argentatus, the herring gull, as a likely transmitting agent of *Salmonella montevideo* to sheep and cattle, 437
Legionella pneumophila, isolation of, from water supplies: comparison of methods based on the guinea-pig and culture media, 179
L. pneumophila, interaction of, and a free living amoeba (*Acanthamoeba palestinensis*), 167

Meningitis, bacterial, in Nottingham, 189
Meriones shawi, laboratory tests of seven rodenticides for the control of, 351
Milk, a cost benefit study of, -borne salmonellosis, 17
Milk-borne campylobacter enteritis in a rural area, 227
Milk, the excretion of *Salmonella typhimurium* in the faeces of calves fed, substitute, 33
Monoclonal, diagnostic assays with, antibodies for the human serum parvovirus-like virus (SPLV), 113

Neuraminidase antibodies, the use of a radial haemolysis test for, in the diagnosis of influenza A infection, 147
Newborn, hygiene for the, – to bath or to wash? 529
Nigeria, *Campylobacter jejuni* as a bacterial cause of diarrhoea in Ile-Ife, 77
Nigeria, epidemiological features of an outbreak of gastroenteritis/cholera in Katsina, Northern, 101
Nocardia, a cephalosporin active *in vitro* against: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421
Nocardial, a simple view of, taxonomy, 369
Nocardial, clinical and clinical laboratory, aspects of, infection, 377
Nocardial infection of the skin, 385

Nocardia in naturally acquired and experimental infections in animals, 393
Norfolk Island, infectious gastroenteritis in, and recovery of viruses from drinking water, 139
Norwalk-like virus, an outbreak of food-borne gastroenteritis in two hospitals associated with a, 343

Operating theatres, a comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in, 509
Oysters, an outbreak of hepatitis A caused by consumption of raw, 163

Parvovirus, diagnostic assays with monoclonal antibodies for the human serum, -like virus (SPLV), 113
Phage typing, enterotoxin production, and serotyping of *Staphylococcus aureus* strains isolated from clinical materials and food, 235
Pigs, further research into the possibility of salmonella-free fattening and slaughter of, 59
Pre-injection swabs, the sterilizing capacity of propylene oxide and chloridine diacetate solutions upon, saturated with propan-2-ol, 287
Propylene oxide, the sterilizing capacity of, and chlorhexidine diacetate solutions upon pre-injection swabs saturated with propan-2-ol, 287

Radial haemolysis, the use of a, test for neuroaminidase antibodies in the diagnosis of influenza A infection, 147
Rappaport's enrichment medium, a comparison of two modifications of, (R25 and RV) for the isolation of salmonellas from sewage polluted natural water, 451
Rat, efficacy of alpha-chlorhydrin in sewer, control, 359
Rodenticides, laboratory tests of seven, for the control of *Meriones shawi*, 351

Salmonella, a comparison of, serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the sewage, 47
Salmonella, the herring gull *Larus argentatus* as a carrier of, 429
Salmonellae, a comparison of enrichment media for the isolation of, from seagull cloacal swabs, 53
Salmonella, effect of stool storage at room temperature on, isolation from faeces, 267
Salmonella, further research into the possibility of, -free fattening and slaughter of pigs, 59
Salmonella isolation from reptilian faeces: A discussion of appropriate cultural techniques, 25
Salmonella montevideo, the herring guil *Larus argentatus* as a likely transmitting agent of, to sheep and cattle, 437
Salmonellas, a comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of, from sewage polluted natural water, 451
Salmonella saint-paul infection in calves, 259
Salmonella saint-paul infection in two dairy herds, 243
Salmonella typhimurium, the excretion of, in the faeces of calves fed milk substitute, 33
Salmonellosis, a cost benefit of milk-borne, 17
Seagull, a comparison of procedures for the isolation of campylobacters from, faeces, 445
Seagulls, a comparison of enrichment media for the isolation of salmonellae from, cloacal swabs, 53
Seagulls, a comparison of salmonella serotypes found in the faeces of, feeding at a sewage works with serotypes present in the sewage, 47
Serotyping, enterotoxin production, phage typing and, of *Staphylococcus aureus* strains isolated from clinical materials and food, 235
Sewage, a comparison of salmonella serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the, 47
Shigella sonnei, colicine, production as an epidemiological marker for, 273
Single radial haemolysis, comparison of haemagglutination-inhibition and, techniques for detecting antibodies to influenza A and B viruses, 157
Skin, nocardial infection of the, 385
Skin, assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation of the, 521
Skin sepsis, type 49 *Streptococcus pyogenes*: Phage subtypes as epidemiological markers in isolates from, and acute glomerulonephritis, 71

Staphylococci, evaluation and use of the drug inhibition method of measuring intracellular killing in differentiating between, grown *in vivo* and *in vitro*, 211
Staphylococcus aureus, incidence and properties of, associated with turkeys during processing and further-processing operations, 479
Staphylococcus aureus, enterotoxin production, phage typing and serotyping of, strains isolated from clinical materials and food, 235
Staphylococcus aureus, studies on the growth and survival of, in corned beef, 467
Staphylococci, gentamicin-resistant: genetics of an outbreak in a dermatology department, 7
Streptococcus pyogenes, type 49: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71

Tracer gas, a comparison between, and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres, 509
Tracer particle, a comparison between tracer gas and, techniques in evaluating the efficiency of ventilation in operating theatres, 509
Triclosan-detergent, assessment of the remanent antibacterial effect of a 2%, preparation on the skin, 521
Turkeys, incidence and properties of *Staphylococcus aureus* associated with, during processing and further-processing operations, 479

Ventilation, a comparison between tracer gas and tracer particle techniques in evaluating the efficiency of, in operating theatres, 509

Water, infectious gastroenteritis in Norfolk Island and recovery of viruses from drinking, 139
Water, isolation of *Legionella pneumophila* from, supplies: comparison of methods on the guinea-pig and culture media, 179